

BIBLIOTHECA RADCLIVIANA:

OR, ASHORT

DESCRIPTION

OFTHE

RADCLIFFE LIBRARY,

AT

OXFORD.

CONTAINING

Its feveral Plans, Uprights, Sections, and Ornaments.

On Twenty three Copper Plates, neatly engraved,

With the Explanation of each PLATE.

BY

JAMES GIBBS, Architect,

Fellow of the Royal Society, &c.

LONDON,

Printed for the Author, MDCCXLVII.

BIBLIOTHECA

His Grace the Duke of Beaufort,
The Rt. Hon. Edward E. of Oxford,
Sir Walter Wag staff Bagot, Bart.
Sir Watkin Williams Wynn, Bart.
Edward Smith, Esq;

Trustees to the Radcliffe Library at Oxford.

My Lords and Gentlemen,

HIS fmall Performance, shewing the several Plans, Uprights, Sections, and Ornaments of the Radelisse Library, being begun and finished under your Direction and Care, demands your Protection. I must in Justice declare, that in all Business of this Sort, in which I have been engaged, I never observed a Trust discharged with greater Unanimity, Integrity, and Candor, during the whole Time I had the Honour of serving you, from the laying the first Stone of this Fabrick to its finishing. And all Persons employed by you therein, do honour you

you for your punctual Payments, and great Diligence in feeing every Part put in Execution, with the nicest Oeconomy and Equity. And I wish you may be a Pattern to Posterity, to follow your laudable Example, on any Occasion of the like Nature. And now, having finished and completed this Work to your Satisfaction, and in such a Manner (I hope) as to merit the Approbation of all impartial Judges, I must beg Leave to dedicate this Representation of it to you; being with the greatest Respect,

My Lords and Gentlemen,

Your most obliged,

and most humble Servant,

James Gibbs.

PREFACE.

HE Munificent Founder of this Building was John Radcliffe, Doctor of Phyfick, who was born at Wakefield in Yorkfhire, in the Year One thousand fix hundred and fifty three, and educated at the School there, and afterwards in University College at Oxford, and was likewise Fellow of Lincoln College. He was so eminent in his Profession, that he was equalled in it by sew, and excelled by none of his Time. He died the First of November One thousand seven hundred and sourteen, and by his Will bequeathed several very considerable Legacies, Charities, and Donations, and, amongst others, left Forty thousand Pounds for building this Library, and to purchase the Ground upon which it was erected, which he particularly directed by his Will.

THE Trustees and Executors, constituted by his Will, were, the Right Honourable William Bromley, Esq; Sir George Beaumont, Bart. Thomas Sclater Bacon, Esq; and Anthony Keck, Gentleman, with a Power, that in Case of the Decease of any of them, the Survivors might chuse two or more Persons of good Repute, to be joined with them in the Trust; and accordingly the following Gentlemen were chosen Trustees, in the Room of others, as they deceased. Upon the Death of the Right Honourable William Bromley, Esq; William Bromley, Esq; his Son, and Edward Harley, Esq; (now Earl of Oxford) were chosen. Mr. Bacon, Mr. Keck, and Mr. Bromley the Son dying, Sir Walter Wagstaff Bagot, Bart. John Verney, Efq; and Edward Smith, Efq; were chosen; upon Sir George Beaumont's Death, Lord Charles Noel Somerfet (now Duke of Beaufort) was chosen, and the Right Honourable John Verney, then Master of the Rolls, dying in the Year One thousand seven hundred and forty one, Sir Watkin Williams Wynn, Bart. fucceeded him. Dr. Radcliffe having particularly directed by his Will, that this Library should not be begun to be built till after the Death of his two Sifters (to whom he left very large Annuities) and they furviving him feveral Years, his original Truftees could only prepare for the fame, by purchating, from Time to Time, the Ground on which the Building was to Rand.

AFTER the Decease of the Doctor's Sisters, the surviving Trustees began to set forward this great Work, and were pleased to appoint me to be their Architect; Mr. William Townsend of Oxford, and Mr. William Smith of Warwick, were employed to be Masons; Mr. John Philipps to be the Carpenter and Joiner; Mr. George Devall to be Plumber; Mr. Townsend

end Junior to be Stone Carver; Mr. Linel of Long-acre, London, to be Carver in Wood; Mr. Artari, an Italian, to be their Plaisterer in the Fret Work Way; Mr. Michael Rysprack to be Sculptor, to cut the Doctor's Figure in Marble; and Mr. Blockley to be Locksmith.

THE Foundation Stone was laid the fixteenth Day of June, One thoufand feven hundred and thirty feven, and in it was fixed a Copper Plate, upon which was engraved the following Infcription:

Quod Felix Fauftumque fit Academiæ Oxonienfi, Die XVI. Kalendarum Junii Anno MDCCXXXVII, Carolo Comite de Arran Cancellario, Stephano Niblet S. T. P. Vice-Cancellario, Thoma Paget et Iohanne Land A. M. Procuratoribus, Plaudenti Undique Togatâ Gente, Honorabiles Admodum Daus Daus Carolus Noel Somerset Honorabilis Iohannes Verney Gualterus Wagstaff Bagot Baronettus Edwardus Harley et Armigeri Edwardus Smith Radelivii Munificentiffimi Testamenti Curatores P. P. Jacobo Gibbs Architecto.

And the whole Building was compleated in the Year 1747.

was impossible to make so exact Drawings of this large Fabrick ding, as when the whole was compleated, because there Accidents, which occasioned a few Alterations to be so that the following Representation of it is taken from the top shands.

A PAR-

A PARTICULAR

DESCRIPTION

OF THE

FOLLOWING PLATES.

PLATE I.

A PERSPECTIVE View of the South Side of the Buildings of the Radcliffe Library, taken from a North Window of St. Mary's Church: Shewing the Fabrick, with the Area it stands on, and some Part of the old Buildings on each Side of it, as Brasen-Nose College on the Left Hand, and All-Souls College on the Right.

PLATE II.

This shews the Geometrical Situation of the Library, or a general Plan of the Area on which it stands, with the Buildings round it, being One hundred and eighty four Feet, by Three hundred and fourteen Feet fix Inches. The new Building A A, is placed in the Middle, between St. Mary's Church-yard Wall BB, and the Schools C C, Brasen-Nose College DD, and All-Souls College E E.

PLATE III.

This Plate contains two Plans of this Building. The lowest A, is that of the arched Stone Porch, or Rustic Basement, under the Library, the Ceiling of which is arched with Stone, divided in Pannels, and circular concave Dishes, as is here expressed by pointed Lines. The Dishes are adorned with Mosaic Work, the Figure of which shall be shewn in its proper Place. Here are three Stair Cases on this Plan. The great Geometrical Stair Case at a, being an Oval of Eighteen Feet by Twenty one Feet, goes up by two Windings to the Floor of the Library: The small Stair Cases b, being Six Feet in Diameter, go up to the Library, Gallery, and Leads on the Top of it. The Pavement of this Porch is all laid regularly in Courses drawn from the Center of the Building; the Form of which shall be shewn hereafter.

B, is

B, is the Plan of the Library, over the Stone Porch, confishing of two Circles, one within the other. The Diameter of the inner Circle, which supports the Cupola, is Forty eight Feet. But the Extent of the Diameter of the outward Circle, against which the Presses of the Books are placed, is Eighty eight Feet fix Inches. When you stand in the Center of the Room, you fee the Book Cases through the seven great Arches of the inward Circle; which Book Cases are all curiously framed of right Wainfcot, and their Mouldings neatly carved. The Room where they are placed is of a circular Form, going from one round Stair Case to the other, Fifteen Feet broad, and Twelve Feet high, raifed fix Inches above the Stone Floor of the middle Circle, and floored with right Wainscot Boards, all laid to the Center of the Building; its Ceiling is handsomely adorned with Fret Work, and the whole Room lighted by seven Windows. The Floor of the middle Circle is paved with Portland Stone, intermixed with red Swedish Stone, drawn from feveral Centers; the Form of which shall be shewn hereafter. The seven small oblong Squares, marked in Lines at o, against each Window, on the Plans of the Library and Gallery Floors, shew where the Desks are placed, and P, shews the Presses for the Books.

PLATE IV.

THIS Plate contains two Plans, the lowest at C, is that of the Gallery or upper Library, with its Balustrade in Front, to which you ascend by the two small round Stairs b b. The Book Cases at P, are placed as below. The Desks placed at each Window, marked o, are all handsomely framed of Mahogony Wood polished. The Ceiling is coved, as is here expressed by pointed Lines, and embellished with Fret Work, and the whole lighted by seven large Windows.

D, SHEWS the Plan of the Leads or Flats over the Galleries, and the Baluftrade that goes round the Building, aa; the two round Stair Cases going up to them, bb; the Drum and Buttresses of the Cupola, cc; the Cupola and Lanthorn being all covered with Lead.

PLATE V.

THIS shews the Geometrical Upright of the Outside of the Building, being of the Corinthian Order, with its Balustrade and Vases a-top. This Order has all the Members of its Entablature properly enriched, and the Capitals, and Festoons betwixt them neatly carved, all the Windows and

and Niches are regularly dressed; and its middle Part adorned with a handsome Cupola and Lanthorn covered with Lead, the whole erected on a Rustice Basement; the Plan of which is a regular Polygon of fixteen Sides. But this being too small, I have shewn it larger on the next Plate.

PLATE VI.

You have here a Part of the Upright of the Outside of the Building drawn larger, to shew more distinctly the Ornaments of the Corinthian Order, the Disposition of the Windows and Niches with their Dressings, the Entablature, with the Number of its Modilions answerable to their Intercolumnations, and the Range of Pedestals, and Balustrade a-top of it, with their Vases.

PLATE VII.

HERE are the outfide Windows of this Building, with their Ornaments and Profiles drawn to a large Scale.

PLATE VIII.

This is one of the Iron Gates, which are placed in each of the Ruftick Arches of the Stone Porch under the Library, to enclose and preferve that Place from being a lurking Place for Rogues in the Nighttime, or any other ill Use. Three of the seven Gates may be opened occasionally as wanted, viz. that towards St. Mary's Church, that towards All-Souls, and that towards Brajen Nose Colleges; but are to be locked up always before Night comes on, both Summer and Winter.

PLATE IX.

THIS is a Geometrical Section of the Building, through the Middle of the Plan, from the Bottom to the Top, to shew the Disposition of its Inside, the Arches which support the Cupola, the Cupola with its Ornaments, the Framing of the Wood Work, the Thickness of the Floors and Walls. But as this is too small to shew the particular Parts, I have drawn some of them on a larger Scale, to express them better.

PLATE X.

A SECTION, on a larger Scale, through the Middle of the Ruflick Basement, a-cross the great Stair Case, shewing the Rising and Winding of the great Stairs; as likewise the Arches, Galleries, Part of the Drum of the Cupola, Cove over the great Stair Case, and Timber Framing, the Profile of the Windows, and the Thickness of the Wall, ©c.

C PLATE

PLATE XI.

A GEOMETRICAL Profile through one Bay of the Building, shewing a Part of the Rustick Basement; as likewise of the circular Rooms where the Presses for the Books are placed, and the Entry to them from the Doors of the round Stair Cases, on each Side of the great Stair Case, the Framing of the Roof of the Galleries, and the upright Bearings and Abutments of the Cupola.

PLATE XII.

THIS is the Niche, with its Ornaments, over the *Ionick* Door Cafe within the Library as you enter it, where the Doctor's Figure stands in his Academical Habit, curiously done in Marble by Mr. *Michael Rysebrack*, a noted Sculptor. This Niche is contained within one of the great Arches which supports the Cupola, over which there is a Marble Table with this Inscription,

IOHANNES RADCLIFFE M.D.

HUIUS BIBLIOTHECÆ

Fundator.

PLATE XIII.

This is a Geometrical Upright of one of the great Arches within the Library, to shew the Fronts of the Gallery or upper Library, its Cornish and Balustrade, the Scrolls abutting against the great Pilasters, for the Support of the Floor of the Gallery; as likewise the Windows of the Library below, and the Gallery above.

PLATE XIV.

A PERSPECTIVE View through three of the Arches which support the Dome, to shew more distinctly the Book Presses, and the reading Desks, in the Library below and Gallery over it. The Point of Sight is taken at a Man's Heighth, from the opposite Side of the Gallery.

PLATE XV.

This shews the Form of the Iron Rail of the great Stairs, with a Plan of it on a larger Scale, the Diameter of it being Eighteen Feet by Twenty one Feet. This Fence is very neatly performed, all its Ornaments, as Roses, Foliage, and the Bases of the upright Bars, are of Copper embossed, and the Whole is capped with a handsome Hand Rail of Mahogony Wood neatly polished.

PLATE

PLATE XVI.

Here is shewn one Quarter Part of each Pavement in the Building; the lowest belongs to the Stone Porch under the Library, which is of a hard Sort of Stone, all laid in Courses, drawn from the Center of the Room, as here expressed. That above, on the same Plate, is the Pavement of the middle Part of the Library, which is of Portland Stone, intermixed with red Swedish or Bremen Stone, drawn from several Centers. This Floor was first proposed to be of black and white Marble polished, but was rejected, being thought improper for the Place, because the Air condensing upon it, occasioned by its Hardness (which commonly, though improperly is called sweating) makes the Place damp, especially where no Fire is kept, and is fitter for Churches, Portico's, Common Halls, and Passages, than a Library.

PLATE XVII.

HERE are the Ornaments of the Circular Concave Dishes in the Ceiling of the Rustick Basement, or Stone Porch, below the Library, being all arched with Stone, and the circular Concave Dishes adorned, in this Manner, alternately with Mosaick Work, the one with Octagons, and the other with Crosses and Octagons, having the Doctor's Cipher in the Center within a Circle: The Ceiling of the great Arch in the Middle of the Porch, is grinded over, and has the Doctor's Coat of Arms, enclosed within a large Circular Moulding, going round it, handsomely carved.

PLATE XVIII.

This shews the great Modilion Cornish, with its Frize fully enriched, which goes round the Inside of the Building, over the great Arches that support the Cupola; I have likewise drawn here a Part of three of the Arches, to shew the Ornaments which are put in the Spandrels, between the Architraves of the Arches.

PLATE XIX.

This is one eighth Part of the Ornaments of the Dome in the Infide of it, with their Profiles, letter'd and figured, the Whole curiously done in Fret Work, by Signior Artari, an excellent Artist. A, one eighth Part of the Ornament extended on a straight Line; B, the Profile or Section of the Pannels. c, c, the Geometrical Profile from the Middle of the Rose to the outside Border.

PLATE

PLATE XX.

A. Plan of the Frame, or Half of the Outline, or Circumference of the Cupola, shewing the Thickness of the Walls, and how the Dome is framed and supported; a a, the bearing Picces for the Truss, on which the Lanthorn is framed; b, b, the Beam or Girder of the Truss; c, c, the upright Posts which form the Lanthorn. The four Divisions in the Plan shew the Timbers which fill up the Spaces within the trussed Frame 1, 1, two half Trusses; 2, 2, the Purloins or cross Timbers; 3, 3, the Furring for the Outline of the Dome; 4, 4, the Bridging on which the Boards are fixed for the Lead Covering.


B, SHEWS the Upright of the principal Wooden Truss, which forms the Infide of the Dome and Outline of the Cupola and Lanthorn and its Framing, all of Heart of Oak, being an excellent Piece of Carpentry well confidered, and executed in the best Manner, the Ends of the Timbers being fixed in Shoes of Metal, to preserve them from any Damp that might affect them from the Stone; the Timbers here lettered refer you to the Plan below it.


PLATE XXI.

HERE are the Ornaments of the feveral Orders, made use of in this Building. A, is the Base, Architrave, Frize, and Cornish of the Corinthian Order on the Outside of the Building. B, the Ionick Pedestal, Base, Architrave, Frize, and Cornish, of the Inside of the Building. C, the Profile of the trusted Cornish which crowns the Arches. D, the Profile of the Cornish, on the Outside of the Drum of the Cupola. E, the Profile of the Cornish of the Inside of the Drum. F, the Architrave Moulding of the Arches.

N. B. All the Mouldings, both without and within the Building, are carved proper to their Order.


FINIS.

























The Plan of the Leads, and Copola of the Library)



The Plan of the Gallery or upper Library.


Sout Gibbs Orchitecte


Defoundance Soul






The Geometrical Upright of the outside of the Library.)







Decondrenor Sinte Carole Gulle Hechilocte


















. 1 Lection Showing the Janite of the Library ,






. I Section through apart of the Library, and great Stair line .





. I Section through the Circular Library's, both below and above ?!







The Hiche over the Poor in the inside of the Library with the Poctors Sigure .

Santo Cutto Orchatecte

5 Sourdencer culp






One of the great . Irches, to show the front of the Gallery !

into gette Unhatorte


F'boundriner Soulp








I Perspective Lain of the Small of the Lorang through three of the great . broken, Romany the Dealers and Bostos


















Sacobo Gibbs anhater to





One Eight Part of the Ornaments in the Inside of the Dome Factor Gelds Architector





I Plan of the Frame of the Capula, with the Unright of it's Wooden Trufs -



